



# VALVOLINE CUMMINS PRODUCT CATALOGUE



**SPECIALISTS IN  
HEAVY DUTY LUBRICANTS**



# CUMMINS PRODUCT CATALOGUE



<b>1. ENGINE OILS</b>	<b>4</b>	<b>5. AGRI, CONSTRUCTION AND MARINE OILS</b>	<b>11</b>
Premium Blue	4	Marine	11
ProFleet	4	S.T.O.U.	11
All-Fleet	5	UTTO	11
HD	5		
<b>2. DRIVELINE OILS</b>	<b>6</b>	<b>6. INDUSTRIAL OILS</b>	<b>11</b>
Valvoline ATF	6	EPG	11
Valvoline ATF PRO	6		
Gear Oil PRO	6	<b>7. HYDRAULIC OILS</b>	<b>12</b>
Valvoline Gear Oil	6	Ultramax Extreme	12
Valvoline Total Drive Line	7	Ultramax	12
Valvoline Total Drive Line PRO	7	Hydraulic	13
Axle Oil	7		
Transmission	7	<b>8. SPRAYS</b>	<b>14</b>
		Technical Sprays	14
<b>3. COOLANTS</b>	<b>8</b>	Service Additives	15
Advanced	8		
HD Extended Life	8	<b>9. SPECIALITY FLUIDS</b>	<b>16</b>
HD Nitrite Free	8	Speciality Fluids	16
		Speciality Fluids & Service Chemicals	16
<b>4. GREASES</b>	<b>9</b>	<b>10. WORKSHOP</b>	<b>17</b>
Multipurpose	9	Workshop Utilities	17
Specialty Greases	10		



# 1. ENGINE OILS

## PREMIUM BLUE - ONE SOLUTION

**Premium Blue One Solution Gen2 10W-30** ACEA E9  
API: CK-4, CI-4, CI-4+, CH-4, CJ-4;  
API: SP/ SN

Cummins CES 20092, 20086, 20085, Detroit Diesel DFS 93K222, Deutz DQC III-18LA, JASO DH-2/ DH-1, Mack EOS-4.5, MAN M3775, MB-228.31, 228.3, MTU Type 2.1, Renault RLD-3, Volvo VDS-4.5

20L	208L	BULK
893637	893638	893496

**Premium Blue One Solution Gen2 15W-40** API: CK-4, CI-4, CI-4+, CH-4, CJ-4;  
API: SP/ SN

Cummins CES 20092, 20086, 20085, Allison TES 439, Detroit Diesel DFS 93K222, Deutz DQC III-18LA, JASO DH-2/ DH-1, Mack EOS-4.5, MAN M3775, MB-228.31, 228.3, MTU Type 2.1, Renault RLD-3, Volvo VDS-4.5

20L	208L	1000L	BULK
893656	893657	893658	893497

## PREMIUM BLUE - DIESEL

**Premium Blue 8600 15W40** API: CF-4

Cummins CES 20074; Caterpillar; John Deere; Detroit Diesel DFS 93K216; MB-226.9; MB-228.3

20L	208L	1000L
911077	911076	911075

**Premium Blue 7800 15W-40** ACEA E7; API: CI-4

Cummins CES 20076, CES 20077, Cummins CES 20078, Caterpillar ECF-2, Detroit Diesel DFS 93K215, 93K214, Deutz DQC III-18, Global DHD-1, Mack EO-N, MB-228.3, MTU Type 2, Renault VI RLD-2, Volvo VDS-3

4 X 5 L (SW)	20L	208L	1000L	BULK
870236	870235	870234	870233	870138

## PREMIUM BLUE EXTREME

**Premium Blue Extreme 5W-40** API: CI-4, CI-4 plus, CJ-4/ SM, SN

Cummins CES 20081, Chrysler MS 10902, Caterpillar ECF-3, Detroit Diesel 93K218/ 93K215 Global DHD-1, JASO DH-2, Mack EO-0 Premium Plus, MAN M 3575, MB-228.3, 228.31, Renault RVI RLD-3, Volvo VDS-4

20L	1000L	BULK
703679	VE17775	745241

## PROFLEET

**ProFleet 5W-20**

MAN M3977; Scania LDF-5

20L	208L	1000L	BULK
898422	898424	898423	898421

**ProFleet LS-F 5W-30** API: FA-4, SN

Cummins 20087, Detroit Diesel 93K223, JASO DH-2, MB-Approval 228.61

20L*	208L	BULK
889636	889635	889631

\*Obsolete, available until stock last. Please, contact your Valvoline representative for more information.

**ProFleet LS PLUS 5W-30** ACEA E7, E8, E11  
API CK-4, CJ-4, CI-4 PLUS, CI-4, CH-4/SN

Caterpillar ECF-3, ECF-2, Cummins CES 20086, DAF Extended drain, Daimler Truck DTFR 15C120 (MB-228.52), Daimler Truck DTFR 15C110 (MB-228.51) Daimler Truck DTFR 15C100 (MB-228.31), Detroit Diesel DDC 93K222, Deutz DQC IV-18 LA Ford WSS-M2C213-A1, JASO DH-2, DH-1, Mack EOS-4.5, MAN M3677, M3775, MTU type 3.1, type 2.1, Renault RLD-3, Scania LDF-4, Voith Class B, Volvo VDS-4.5, VDS-4, VDS-3 Recommended for use: IVECO 18-1804 TLS E6

20L	208L	1000L
898927	898928	898929

**ProFleet LS PLUS 10W-40** ACEA E8, E7, E11  
API CK-4, CJ-4, CI-4 PLUS, CI-4, CH-4/SN

Cummins CES 20086, CES 20081, Caterpillar ECF-3, ECF-2, Daimler Truck DTFR 15C120 (MB 228.52), Daimler Truck DTFR 15C110 (MB 228.51) Daimler Truck DTFR 15C100 (MB 228.31), Detroit Diesel DDC 93K222, Deutz DQC IV-18 LA JASO DH-2, DH-1, Mack EOS-4.5, MAN M3775, MTU type 3.1, type 2.1, Renault RLD-3 Voith Class B, Volvo VDS-4.5, VDS-4, VDS-3

20L	208L	1000L	BULK
901647	901646	901645	901666

## ALL-FLEET

**All-Fleet 15W-40** API: CG-4

MAN M 271; MB-228.1

20L	208L	1000L	BULK
VE12666	VE12678	-	VE12679
891306	891305	891304	-

## HD

**HD 10W** ACEA E2  
API: CD/CF-2/CF-4/SF

ISO L-E, MAN 270, MAN 271, MB-228.0,228.1

20L	1000L	BULK
VE12606	VE12615	VE90188

**HD 30** ACEA E2  
API: CD/CF-2/CF-4/SF

ISO L-E, MAN 270, MAN 271, MB-228.0,228.1

20L	208L	BULK
VE12726	VE12738	VE12739

# 2. DRIVELINE OILS

## ATF / CVT FLUID



### Light & Heavy-Duty ATF / CVT FLUID

Check the latest and detailed list of Approvals & Specifications:  
<https://pisheets.valvolineglobal.com>

20L
895136

## ATF



### Heavy Duty ATF

Ford MERCON V, Allison C-4 / TES-295, GM Dextron IIIH, ISO L-HA, MAN 339 Type V2/Z2, MB-236.9 Voith H55.633533 (former G 607), ZF TE-ML 03D, 04D, 14B, 16L, 17C, 20B

20L	208L
897661	897662



### Heavy Duty ATF D II

Allison C-4, Caterpillar TO-2, Ford MERCON, GM Dextron IID, ISO L-HA, MAN 339-D V1/Z1 MB-236.6 Voith H55.6335.xx, ZF TE-ML 04D,11A,14A

20L	208L
897663	897664

## ATF PRO



### Heavy Duty ATF PRO

Allison C-4, Ford Mercon, GM Dextron IID, MAN 339 Type V1, Z1, L2, MB-Approval 236.1 Voith H55.633533 (former G 607), ZF TE-ML 03D, 05L, 09, 11A, 17C, 21L ZF TE-ML 04D, 14A (ZF001873)

12 X 1L (SW)	20L	208L	BULK
868208*	866916	866918	866914

\*Obsolete, available until stock last. Please, contact your Valvoline representative for more information.

## GEAR OIL PRO



### Heavy-Duty Gear Oil PRO 75W-80 LD

API: GL-4

DAF, Eaton, Iveco, MAN 341 E-3, MAN 341 Z-4, Renault (in accordance with Renault note) technique B0032/2, Annex 3, Volvo 97305, 97307, ZF TE-ML 01L, 02L, 16K, ZF TE-ML 08, 13 Suitable for use with ZF-Intarders

1L	20L	208L	BULK
868210*	866929	866930	866928

\*Obsolete, available until stock last. Please, contact your Valvoline representative for more information.

## GEAR OIL



### Heavy Duty Gear Oil 75W-80

API: GL-4

12 X 1L (SW)	20L	208L	BULK
868215	868216	866951	866949



### Heavy Duty Gear Oil 80W

API: GL-4

ZF TE-ML 08

208L	BULK
866954*	866953

\*Obsolete, available until stock last. Please, contact your Valvoline representative for more information.

### Light & Heavy Duty Gear Oil 80W-90

API: GL-4



ZF TE-ML 08, 24A

12 X 1L (SW)	20L	PL 20L	208L
868210	866927	866929	866957

## TOTAL DRIVELINE



### Heavy Duty TDL 75W-90

API: GL-4, GL-5, MT-1

Mack GO-J, MAN 341 type Z2 (ZF), MAN 342 type M3 (Meritor), MIL-PRF-2105E, Scania STO 1:0, ZF TE-ML 02B, 05A, 07A, 08, 12L, 12N, 16B, 17B, 19B, 21A

20L	208L	BULK
882024	882028*	882029

\*Obsolete, available until stock last. Please, contact your Valvoline representative for more information.

## TOTAL DRIVELINE PRO



### Heavy Duty TDL PRO 75W-90

API: GL-4, GL-5, MT-1

Arvin Meritor Axles 0-76-N, Mack GO-J, MAN 341 type E3 (Eaton), MAN 341 type Z2 (ZF) MAN 342 type M3, MAN 342 type S1, MB-Approval 235.8, SAE J2360, Scania STO 1:0, Scania STO 1:1G, Scania STO 2:0A FS, Volvo 97312, ZF TE-ML 05A, 12L, 12N, 16F, 17B, 19C, 21A, (ZF001283)

12 X 1L (SW)	20L	208L	1000L	BULK
868211	866932	866934	868212	866931

\*Obsolete, available until stock last. Please, contact your Valvoline representative for more information.

## AXLE OIL



### Heavy Duty Axle Oil 75W-90 Limited Slip

API: GL-5

20L	BULK
866948	866947



### Heavy Duty Axle Oil 75W-140

API: GL-5, MT-1

Scania STO 1:0

20L	208L
879813	879814*

\*Obsolete, available until stock last. Please, contact your Valvoline representative for more information.



### Heavy Duty Axle Oil 85W-140

API: GL-5

ZF TE-ML 07A, 08

20L	208L	BULK
866941	866942	866940



### Light & Heavy Duty Axle Oil 80W-90

API: GL-5

ZF TE-ML 07A, 08

12 X 1L (SW)	4 X 5L (SW)	20L	208L	BULK
868214	866944	866945	866946	866943

## TRANSMISSION



### DT Transmission Oil 10W

API: CF, CF-2, MT-1

Allison C-4, Caterpillar TO-4, Komatsu (KES 07 868.1), ZF TE-ML 03C

20L	208L	BULK
819582	VE17818	682697



### DT Transmission Oil 30

API CF, CF-2, MT-1

Allison C-4 Caterpillar TO-4, Komatsu (KES 07 868.1), ZF TE-ML 03C, ZF TE-ML 07F

BULK
680749

# 3. COOLANTS

## ADVANCED



### OEM Advanced 40 Antifreeze Coolant

Cummins CES 14439, Cummins CES 14603, ASTM 3306 / D4985 / D6210, DCC Detroit Diesel DSF93K217ELC, Deutz DOC CC-14, Federal Specification A-A-870A Irizar (from 2016), Liebherr Minimum LH-01-COL3A, MAN 324 Type SI-OAT MB Trucks (from October 2011), MB-Approval 325.5, 325.6, MB-Approval 326.5, 326.6 MTU MTL 5048, Navistar MPAPS B1 IIIA, Porsche From MY 2010, SAE J814, SCANIA Smart MB 325.6, TL 774-G (G12+); VW / Audi / Seat / Skoda / Lamborghini / Bentley / Bugatti

	20L	208L	BULK
Concentrate	892092	891919	892078
Ready to use	892066	892111	892079



### OEM Advanced 48 Antifreeze Coolant

ASTM D3306 / D4985, BMW LC-87, Detroit Diesel 7SE298, Deutz DOC CA-14, Federal Specification A-A-870A, GM1899M / 1825M, Jaguar, Jenbacher TA-Nr. 1000-0201, Liebherr Minimum LH-00-COL3A, MAN 324 Type NF, MAN Diesel & Turbo Liste 3.3.7, Maybach/Smart MB 325.0/326.0 (until 2014), MB Passenger cars (until April 2014) MB Trucks (until September 2011), MB-Approval 325.0, MB-Approval 326.0, MTU MTL 5048 Opel/Vauxhall (until 2000) B 040 0240, Porsche (until 1995), Rolls-Royce (from 1998) Saab 690 1599, SAE J814 / J1034 / J1941, Testa (from 2013), TL 774-C: VW / Audi / Seat / Skoda, TMC of ATA RP-302B, Van Hool, Volvo 2015 (cars) and older, Volvo Truck (until 2005), Zastava

	4 X 5L	20L	208L	1000L	BULK
Concentrate	-	892097	892094	892067	892080
Ready to use	892122	892123	892099	892098	892081

## HD EXTENDED LIFE



### HD Extended Life Antifreeze Coolant

Cummins 14603 approved, 3666286 Anfor 15-601, 1991, ASTM D-6210, D-4985, BS 6580, 1992, Caterpillar EC-1Cuna NC956-16, DAF/Leyland, Detroit Diesel 7SE 298, Deutz MWM Ford WSS M97 B44-D, IVECO 18-1830, MAN 324 type NF, MAN B&W, MB-325.0, 2, 3, 5, 6 MTU MTL 5048, O-Norm V5123, Renault (Glacool RX type D), SAE J814C, J1941, Scania, Volvo VCS

	20L	208L	1000L	BULK
Concentrate	-	808515	886166	-
Ready to use	808513	808516	808512	808511



### HD Extended Life -67 Antifreeze Coolant RTU

Cummins 14603, 3666286, ASTM D-6210, D-3306, Caterpillar EC-1, Detroit Diesel 7SE298, Federal Spec A-A-870A, GM 1899 M, 1825 M, Link Belt

	208L
	808514

## HD NITRITE FREE



### HD Nitrite Free Coolant RTU

Cummins 14603, Aggreko, ASTM D6210/ D3306/ D4985, ASTM D7583 (John Deere cavitation test), Deutz DOC CB-14, IRNO Jenbacher TA 1000 0200, JIS K 2234, John Deere, Link Belt, MACK, MTU, Paccar, Scania, Volvo, MAN, Mercedes, Navistar CEMS B-1 Type III-A, Peterbilt, SAE J1034, J814, Thermo King, TMC of ATA RP-329B & RP-338

	20L	208L	1000L	BULK
Ready to use	867534	867532	867533	867531

# 4. GREASES

## MULTIPURPOSE



### Multipurpose Lithium 1

DIN 51502: K1K-30 ; ISO 6743-9: L-XCCHA 1

	18 KG	180 KG
	889592	889594



### Multipurpose Lithium 3

DIN 51502: K3K-30 ; ISO 6743-9: L-XCCHA 3

	20 X 800 GR	4 X 4 KG	18 KG	180 KG
	889598	889596	889593	889595



### Multipurpose Lithium EP 2

DIN 51502: KP2K-30 ; ISO 6743-9: L-XCCHB 2

	4 X 4 KG	18 KG	45KG	180 KG
	890541	890543	896054	890546



### Multipurpose Lithium EP 3

DIN 51502: KP3K-30 ; ISO 6743-9: L-XCCHB 3

	18 KG	180 KG
	891240	891176



### Multipurpose Complex RED 1

DIN 51502: KP 1N-20 ; ISO 6743-9: L-XBDHB 1

	18 KG
	891169



### Multipurpose Complex RED 3

DIN 51502: KP 3N-20 ; ISO 6743-9: L-XBDHB 3

	18 KG
	891238



### Multipurpose Moly 2 Plus

DIN 51502: KPF2K-30 ; ISO 6743-9: L-XCCHB 2

	400G V1	400G V2	4KG	18 KG	180 KG
	896032	896031	896030	895637	895636



### Multipurpose Lical 2/3

DIN 51502: KP2/3K-20 ; ISO 6743-9: L-XBCHB 2/3

	400G	400G / LS*	4 X 4 KG	5KG	18 KG	45KG	180 KG
	895405	892651	889584	*896096	889573	896062	889572

\*Obsolete, available until stock last. Please, contact your Valvoline representative for more information.



### Semi Fluid 00

DIN 51502: KP00K-30 ; ISO 6743: L-XCCHB 00

	18 KG	45KG	180 KG
	890544	896056	890548



### Multipurpose Lithium 2

DIN 51502: K2K-30 ; ISO 6743-9: L-XCCHA 2

	25 X 400 GR	20 X 800 GR	4 X 4 KG	18 KG	45 KG	180 KG
	895398	889582	889585	889576	896053	889575



### Multipurpose Lithium EP 1

DIN 51502: KP1K-30 ; ISO 6743-9: L-XCCHB 1

	18 KG	180 KG
	891239	891175



### Multipurpose Lithium EP-X 2

DIN 51 502: KP2K-30 ; ISO 6743-9: L-XCCHB 2

	18 KG	180 KG
	891241	891177



### Multipurpose Complex RED 0

DIN 51502: KP 0N-20 ; ISO 6743-9: L-XBDHB 0

	18 KG	180 KG
	891168	891172



### Multipurpose Complex RED 2

DIN 51502: KP 2N-20 ; ISO 6743-9: L-XBDHB 2

	400G V1	400G V2	400G / LS*	800G V1	800G V2	4KG	18 KG	45KG	180 KG
	895413	895414	892653	890529	890530	890542	890545	896057	890547



### Multipurpose Moly 2

DIN 51502: KPF2K-30 ; ISO 6743-9: L-XCCHB 2

	400G V1	400G V2	4 X 4 KG	5KG	18 KG	45KG	180 KG
	895399	895400	889586	*896094	889580	896055	889579

\*Obsolete, available until stock last. Please, contact your Valvoline representative for more information.



### Multipurpose Calcium 2

DIN 51502: K2E-25 ; ISO 6743-9: L-XBBHA 2

	24 X 400 GR	20 X 800 GR	4 X 4 KG	18 KG	45KG	180 KG
	895404	889581	889583	889550	896052	889549



### Multipurpose 2

DIN 51502: KP2K-20 ; ISO 6743-9: L-XBCHB 2

	400G	800G	4 X 4 KG	18 KG	180 KG
	895420	892524	891428	891429	891430



### Endurance Lithium EP 2

DIN 51 502: KP 2K-30 ; ISO 6743-9: L-XCCHB 2

400 G	800G	4 X 4 KG	18 KG	180 KG
895421	891549	891692	891699	891710



### Earth Open Gear 0

DIN 51 502: 0GPF 0K-25 ; ISO 6743-9: L-XBCIB 0 ; ISO L-CKL

18 KG	180 KG
891704	891593



### Industry BT 2

DIN 51205: KP2R-20 ; ISO L-6743-9: L-XBFHB 2

18 KG	180 KG
891705	891594*

\*Obsolete, available until stock last. Please, contact your Valvoline representative for more information.



### Bio Lical 00

ISO 6753-9: L-XDBEB 00

18 KG
891243



### Bio Lical 2

DIN 51 502 KP2G-25 ; ISO L-6743-9: L-XCBHB 2

18 KG	180 KG
891245	891246



### Multipurpose Synthetic 2

DIN 51502: KPHC2N-55 ; ISO 6743-9: L-XEDHB2

400G	18 KG
895416	*891041

\*Obsolete, available until stock last. Please, contact your Valvoline representative for more information.



### Industry Calsul 1.5

DIN 51502: KP 2/1P-20 ; ISO L-6743-9: L-XCFIB 2/1

400G	4KG	18 KG	180 KG
902082	901694	901695	901696



### Industry Calsul Moly PT 2

DIN 51502: KP 2/1P-20 ; ISO L-6743-9: L-XCFIB 2/1

4KG	18 KG	180 KG
891694	891701	891712



### Industry Calsul Moly 2

DIN 51502: KPF 2R-20 ; ISO L-6743-9: L-XBFIB 2

4 X 4 KG	18 KG	180 KG
891695	891702	891713



### Industry Calsul 2

DIN 51502: KP 2R-20 ; ISO L-6743-9: L-XBFIB 2

4 X 4 KG	18 KG	180 KG
891249	891242	891178



### Bio Lical 1

DIN 51 502: KP1G-25 ; ISO L-6743-9: L-XCBHB 1

18 KG
891244



### Earth Lithium 2

DIN 51502: KP2N-20 ; ISO 6743: L-XBDEB2

25 X 400 GR	18 KG
895417	891042



### Marine Calcium 2

DIN 51502: KP2R-20 ; ISO 6743: L-XBFIB 2

25 X 400 GR	18 KG	180 KG
895415	890960	891044



## MARINE



### Valmarin TP 1230 DDT

API:CF

MAK, MAN B&W, SEMT Pielstick, New Sulzer Diesel, Wärtsilä

BULK
VE16119



### Valmarin TP 1240 DDT

API:CF

MAK, MAN B&W, SEMT Pielstick, New Sulzer Diesel, Wärtsilä

BULK
VE16139



### Valmarin 15W-40 DDT

API: CI-4, CH-4 ; ACEA E7

Caterpillar ECF-2, ECF-1-a; Cummins CES 20077/78; DDC 93K215; Deutz DQC III-10; Global DHD-1; MAN M3275-1; MTU Type 2; Volvo VDS-3, Volvo Penta

208L	BULK
885226	885441

## S.T.O.U.



### Valvoline S.T.O.U. 10W-40 DDT

API: CF-4/SF, GL-4

Allison C4; Ford M2C134 A, 159 B, 159 C; FNH 82009203; John Deere J27; MF M1144, M1145; ZF TE-ML 05K, 06B, 06C, 07B, 07D

20L	208L	BULK
881223	881222	881224

## UTTO



### Valvoline UTTO WB2

Volvo 97304 (WB102)

20L	208L
893033	893034



## EPG



### EPG S220

AGMA 9005-E02, AIST 224 (U. S. Steel 224), DIN 51517 Part 3, ISO 12925-1, ISO VG 220

208L
888603

# 7. HYDRAULIC OILS

## ULTRAMAX EXTREME



### Ultramax Extreme HVL 28<sup>DDT</sup>

AFNOR NFE 48-603; AFNOR NFE 48-690/1; ISO VG 28

20L	208L	1000L
885975*	804321	879289

\*Obsolete, available until stock last. Please, contact your Valvoline representative for more information.



### Ultramax Extreme HVL 22

DIN 51524 part 3 HVL; 22; ISO VG 22; ISO 11158 HV

208L	BULK
882103	884782

## ULTRAMAX



### Ultramax HVL 32

ASTM D6158 HV; DIN 51524 Part 3; Eaton brochure 03-401-2010; Fives Cincinnati P-68, P-69 and P-70; ISO 11158 HV; Parker (Denison) HF-0, HF-1, HF-2 (Revision L); ZF TE-ML 07H,21M

20L	1000L	BULK
897892	897881	897877



### Ultramax HVL 46

ASTM D6158 HV; DIN 51524 Part 3; Eaton brochure 03-401-2010; Fives Cincinnati P-68, P-69 and P-70; ISO 11158 HV; Parker (Denison) HF-0, HF-1, HF-2 (Revision L); ZF TE-ML 07H,21M

BULK
897876



### Ultramax HVL 68

ASTM D6158 HV; DIN 51524 Part 3; Eaton brochure 03-401-2010; Fives Cincinnati P-68, P-69 and P-70; ISO 11158 HV; Parker (Denison) HF-0, HF-1, HF-2 (Revision L); ZF TE-ML 07H,21M

20L	1000L	BULK
897856	897882	VE90318



### Ultramax BIO 46

CEC-L-33-A93; DIN 51524 Part 3 HVL; ISO L-HM; ISO 6743-4; ISO 15380 HEES; Swedish Standard SS 15 54 34

20L	208L
890672	890671



### Ultramax HLP ZF 46

Bosch Rexroth RE 90 220; Cincinnati P-68, P-69, P-70; Denison HF-0, HF-1, HF-2; DIN 51524 Part 2; GM LS-2; ISO 11158 HH, HL, HM; Vickers (Eaton) I-286-S; Vickers (Eaton) M-2950-S

208L	BULK
821256	808227



### Ultramax HLP 32

DIN 51524 Part 2

20L	208L	1000L	BULK
878269	897911	897901	897917



### Ultramax HLP 68

DIN 51524 Part 2

20L	208L	1000L
897924	897912	897902



### Ultramax HLP 100

DIN 51524 Part 2 HLP; ISO 11158 HM

20L	208L	BULK
885976*	VE16498	VE90322
897925	897913	-

\*Obsolete, available until stock last. Please, contact your Valvoline representative for more information.



### Ultramax HLP 150

DIN 51524 Part 2 HLP; ISO 11158 HM

BULK
VE90323

## HYDRAULIC



### Valvoline HLP 22

DIN 51524 Part 2 HLP; ISO 11158 HM

20L	208L
890801	890800



### Valvoline HLP 32

DIN 51524 Part 2

20L	208L	BULK
889726	889725	891536



### Valvoline HLP 46

DIN 51524 Part 2

20L	208L	1000L	BULK
889729	889728	889727	891537



### Valvoline HLP 68

DIN 51524 Part 2

20L	208L	1000L	BULK
889732	889731	889730	904841



### Valvoline HLP 32

DIN 51524 (part 3)

20L	208L	BULK
889739	889738	891538



### Valvoline HVL 46

DIN 51524 (part 3)

20L	208L	1000L	BULK
889710	889709	889740	891539



### Valvoline HVL 68

DIN 51524 (part 3)

208L	1000L	BULK
889792	889791	904830

# 8. SPRAYS

## TECHNICAL SPRAYS



### Valvoline high Pressure Lubricant PTFE

High quality lubricant to treat mechanical parts of metal and plastic. Contains PTFE and extreme pressure additives to protect against wear under high pressure and high temperatures

500 ML
889708



### Valvoline high Pressure Lubricant PTFE

Silicone spray to lubricate and protect plastic or rubber parts. Prevents freezing and drying of rubbers and creaking of plastic parts

500 ML
887042



### Valvoline Electro Protect

Water and moisture-repellent and ensures prolonged and more efficient operating life of switches, batteries, cables, and various electric tools and systems

500 ML
887044



### Valvoline PTFE Spray

Lubricant to treat mechanical parts of metal and plastic. Water repellent and resistant to weak acids and bases.

500 ML
887046



### Valvoline White Grease

Spray grease to lubricate mechanical parts of metal or plastic. Excellent adhesion, mechanical and thermal stability.

500 ML
887047



### Valvoline Multi Spray

Universal oil to lubricate, protect and clean parts of metal and plastic. Good penetration properties, removes oil, grease, waxes and tar. After using, a protective film remains.

500 ML
887048



### Valvoline Synthetic Chain Lub

Low friction factor for minimal resistance while maintaining the outstanding lubricating properties, even at heavy loads. Especially suitable for high-speed chains of motorcycles, bicycles, mopeds, etc.

500 ML
887049



### Valvoline Copper Spray

Spray with a extra high copper content to prevent wear and sticking of screwed connections which are exposed to very high temperatures.

500 ML
887052



### Valvoline Vaseline Spray

Transparent, universal lubricant and preservative. Excellent adhesion and corrosion prevention properties.

500 ML
887051



### Valvoline Penetrating Oil

High quality effective spray to loosen rusted parts. Good penetrating properties, contains graphite and MoS<sub>2</sub>.

500 ML
887053



### Valvoline Motor Start

High quality ether based spray for starting problems with internal combustion engines.

500 ML
887056



### Valvoline Zinc Spray

Zinc spray to treat galvanised and untreated steel. Outstanding cathodic corrosion prevention. Resistant to petrol, chemicals and weather influences. Spot-weldable

500 ML
887062



### Valvoline Glass Cleaner

High quality spray to clean windscreens and mirrors.

500 ML
887065



### Valvoline Contact Cleaner

Powerful jet spray, carefully formulated to provide maximum protection during the cleaning process of electrical contacts. Meets industry and safety requirements.

500 ML
887066



### Valvoline Carburettor Cleaner

Cleaner for the interior and the exterior of carburettors and valves, without disassembly.

500 ML
887082



### Valvoline Brake Cleaner

Brake cleaner with high dissolving properties. Leaves no residue, non-conductive and non-corrosive.

500 ML
887059



### Valvoline Cockpit Spray Foam

Cockpit spray to clean, protect and embellish the dashboard and other plastic parts in the car.

500 ML
887083

## SERVICE ADDITIVES



### Cooling System Cleaner

Cleaning concentrate for quick and simple cleaning of radiator and heating systems of both diesel and petrol engines.

250 ML
890602



### Cooling System Stop Leak

Sealant for cooling systems of both diesel and petrol engines. Compatible with all types of coolants and antifreeze.

300 ML
890603



### Diesel System Cleaner

Direct cleaning additive for all diesel engines of passenger cars. Especially effective for instant cleaning of electronically and mechanically controlled injection nozzles.

300 ML
890604



### Diesel System Protector

Cleans and protects all components that are in contact with fuel. Keeps the engine performance optimal, improving fuel combustion, and preventing corrosion and sludge formation.

300 ML
890605



### DPF Cleaner And Regenerator

High-performance cleaning agent that uses quality additives to reduce the burn-off temperature of soot in the diesel particulate filter (DPF).

300 ML
890606



### Engine Oil System Cleaner

Superior cleaning solution that helps remove contaminants and disperse sludge and soluble dirt inside diesel and petrol engines.

300 ML
890608



### Petrol System Cleaner

Direct cleaning additive specifically designed to be applied to all types of petrol engines used in passenger cars to reduce exhaust emissions, deposits, and high fuel consumption.

300 ML
890610



### Petrol System Protector

This product helps keep the entire fuel system clean, reduces fuel consumption, protects against corrosions, and decreases harmful emissions.

300 ML
890611

# 9. SPECIALITY FLUIDS

## SPECIALITY FLUIDS



### Brake & Clutch Fluid DOT 4

Preserving Safe Driving Capabilities. Ensures effective stopping and improve the brake system's functionality and performance.

- FMVSS 116 DOT 4
- ISO 4925 Class 4
- SAE J1704

500 ML	1L	5L
883429	883461	883464



### Synpower Steering Fluid

AUDI\*, BMW\*, SAAB\*, Porsche\*; GM B 040 0070; MAN M 3289; MB-345.0; Skoda\*, Fendt\*, FORD\*, ZF\*; Volvo 1161529; VW TL 52146 (G 002000); VW G004000M2

\*This product is not suitable for all the models of the brand. Check owners' manual before use

1L
VE18320



### Screenwasher concentrated

AUDI\*, BMW\*, SAAB\*, Porsche\*; GM B 040 0070; MAN M 3289; MB-345.0; Skoda\*, Fendt\*, FORD\*, ZF\*; Volvo 1161529; VW TL 52146 (G 002000); VW G004000M2

\*This product is not suitable for all the models of the brand. Check owners' manual before use

1L	208L
760442	760436

## SPECIALITY FLUIDS & SERVICE CHEMICALS



### VPS HD Diesel System Complete

Effectively cleans and restores the complete fuel system of the heavy-duty diesel engine. It reduces downtime for maintenance by keeping the engine clean, reducing wear, and helping the engine run smoother and more efficiently.

203 ML	500 ML
VE55341	VE55340

# 10. WORKSHOP

## WORKSHOP UTILITIES



### Hand Cleaner

4,5 L	DISPENSER
889708	VE91393





**Valvoline Europe**

Wieldrechtseweg 39  
3316 BG Dordrecht  
The Netherlands

Tel: +31 (0)78 654 3500

[www.valvolineeurope.com](http://www.valvolineeurope.com)

